




STAPPERT

QUALITY EX STOCK

Summary of
available products



Bars

Angles

Special sections

Pipes and tubes

Hollow bars

INOX INTELLIGENCE.

STAPPERT – THE BRAND FOR STAINLESS STEELS.

STAPPERT is one of the leading distributors of long products and fittings made of stainless, highly corrosion and heat resistant steel.

We have the stainless steel that fits your requirements perfectly and supply it in a range of standard and tailor-made solutions that is unique in stainless steel business.

From mechanical engineering to energy and environmental technology to the food industry, we are at home in all sectors and have built up our reputation as a competent partner over decades.

STAPPERT's focus is not only set on a wide range of materials, but also on good accessibility and location-independent support. We are always on hand, wherever you are. We are your reliable global partner with comprehensive coverage of your needs and short delivery times.

For us, INOX INTELLIGENCE is the perfect combination of a unique product and service portfolio with reliable availability, direct customer proximity, as well as extensive consulting competence based on the expertise and experience of our employees.

We are STAPPERT – We are INOX INTELLIGENCE.


BARS | COLD-FORMED

grade	AISI/ UNS*)	DIN EN 10278 h9	DIN EN 10278 h8	DIN EN 10278 h6	polished	DIN EN 10278	DIN EN 10278	DIN EN 10278		equal	key steel	key steel
1.4021	420	4 - 100	-	-	-	-	-	-	-	-	-	-
1.4034	420	5 - 90	-	-	-	-	-	-	-	-	-	-
1.4057	431	5 - 100	-	-	-	-	11 - 41	-	-	-	-	-
1.4104	430 F	3 - 100	-	-	-	6 - 60	5 - 60	-	-	-	-	-
1.4112	440 B	5 - 80	-	-	-	-	-	-	-	-	-	-
1.4122		5 - 100	-	-	-	-	-	-	-	-	-	-
1.4301	304	2 - 100	6 - 60	10 - 50	8 - 20	4 - 100	7 - 65	8 x 4 - 160 x 10	-	10 x 10 x 2 - 60 x 60 x 6	-	-
1.4307	304L											
1.4301	304 Ugima	8 - 90	-	-	-	-	27 - 41	-	-	-	-	-
1.4305	303	2 - 100	10 - 30	-	8 - 20	5 - 100	5 - 60	20 x 5 - 120 x 20	-	-	-	-
1.4305	303 Ugima	6 - 90	-	-	-	-	-	-	-	-	-	-
1.4401	316	3 - 100	-	-	-	10 - 60	7 - 60	15 x 3 - 100 x 20	10 x 3,5 - 50 x 25	-	-	-
1.4404	316L											
1.4404	316 L Ugima	8 - 60	-	-	-	-	-	-	-	-	-	-
1.4418		12 - 22	-	-	-	-	-	-	-	-	-	-
1.4435	316 L	-	-	-	-	-	13 - 41	-	-	-	-	-
1.4435	316 L Ugima	4 - 80	-	-	-	-	-	-	-	-	-	-
1.4460	S 32900	16 - 80	-	-	-	-	-	-	-	-	-	-
1.4462	S 31803	6 - 80	-	-	-	-	-	-	-	-	-	-
1.4539	904 L	-	-	-	-	-	19 - 36	-	-	-	-	-
1.4541	321	3 - 100	-	-	-	-	13 - 65	-	-	-	-	-
1.4542	630	10 - 40	-	-	-	-	-	-	-	-	-	-
1.4571	316 Ti	2 - 100	-	-	-	4 - 100	6 - 70	10 x 3 - 120 x 10	-	-	5 x 3 - 45 x 25	3 - 6
1.4571	316 Ti Ugima	8 - 60	-	-	-	-	22 - 55	-	-	-	-	-
1.4841	314	3 - 5	-	-	-	-	13 - 36	-	-	-	-	-
1.4923		10 - 20	-	-	-	-	-	-	-	-	-	-


Material also available in Inch sizes
-> see specific flyer

BARS | HOT-FORMED

















grade	AISI/ UNS ^{*)}	DIN EN	DIN EN	DIN EN	DIN EN	slit	slit polished	equal	equal polished	unequal	T	I	U
		10060	10059	10061	10058								
1.4006	410	30 - 250	-	-	-	-	-	-	-	-	-	-	-
1.4021	420	18 - 550	-	-	-	-	-	-	-	-	-	-	-
1.4028	420 F	20 - 200	-	-	-	-	-	-	-	-	-	-	-
1.4034	420	30 - 325	-	-	-	-	-	-	-	-	-	-	-
1.4057	431	20 - 500	40 - 100	-	30×20 - 100×30	-	-	-	-	-	-	-	-
1.4104	430 F	34 - 400	80	-	-	-	-	-	-	-	-	-	-
1.4112	440 B	20 - 400	-	-	-	-	-	-	-	-	-	-	-
1.4122		18 - 525	-	-	-	-	-	-	-	-	-	-	-
1.4125	440 C	20 - 180	-	-	-	-	-	-	-	-	-	-	-
1.4301	304	20 - 575	15 - 200	70	10×5 - 200×40	10×3 - 300×12	20×3 - 120×10	15×15×2 - 180×180×20	20×20×3 - 60×60×6	20×10×3 - 200×100×12	T 20 - 120 TB 30 - 60	IPE 80 - 240 IPB 100 - 200	U 20 - 200
1.4307	304L												
1.4301	304 Ugima	40 - 120	-	-	-	-	-	-	-	-	-	-	-
1.4305	303	25 - 500	40 - 150	-	-	-	-	-	-	-	-	-	-
1.4306	304 L	35 - 200	-	-	-	-	-	-	-	-	-	-	-
1.4313	CA6-NM	20 - 500	-	-	-	-	-	-	-	-	-	-	-
1.4401	316	20 - 625	15 - 150	-	20×5 - 200×40	20×3 - 200×10	-	20×20×3 - 100×100×10	-	-	-	-	-
1.4404	316L												
1.4404	316 L Ugima	32 - 120	-	-	-	-	-	-	-	-	-	-	-
1.4410	S 32750	16 - 200	-	-	-	-	-	-	-	-	-	-	-
1.4418		25 - 350	-	-	-	-	-	-	-	-	-	-	-
1.4435	316 L	30 - 400	30 - 80	-	-	-	-	-	-	-	-	-	-
1.4439	317 LMN	20 - 210	-	-	-	-	-	-	-	-	-	-	-
1.4460	S 32900	28,6 - 370	-	-	-	-	-	-	-	-	-	-	-
1.4462	S 31803	20 - 500	20 - 50	-	30×5 - 100×20	-	-	-	-	-	-	-	-
1.4501	S 32760	25 - 500	-	-	-	-	-	-	-	-	-	-	-
1.4529	N 08926	16 - 200	-	-	-	-	-	-	-	-	-	-	-
1.4539	904 L	6 - 400	15 - 60	-	-	-	-	-	-	-	-	-	-
1.4541	321	20 - 525	20 - 150	-	20×5 - 150×25	15×5 - 100×12	-	20×20×3 - 100×100×10	-	-	-	-	-
1.4542	630	30 - 300	-	-	-	-	-	-	-	-	-	-	-
1.4547	S31254	20 - 150	-	-	-	-	-	-	-	-	-	-	-
1.4550	347	20 - 150	-	-	-	-	-	-	-	-	-	-	-
1.4571	316 Ti	20 - 625	15 - 200	70 - 90	10×5 - 150×50	10×3 - 250×15	-	20×20×3 - 150×150×15	-	30×20×3 - 200×100×13	T 30 - 120	IPE 80 - 160 IPB 100 - 180	U 40 - 200
1.4571	316 Ti Ugima	45 - 125	-	-	-	-	-	-	-	-	-	-	-
1.4713		16 - 100	-	-	40×10	-	-	-	-	-	-	-	-
1.4742		10 - 80	-	-	-	-	-	-	-	-	-	-	-
1.4762	446	16 - 120	-	-	-	-	-	-	-	-	-	-	-
1.4828	309	6 - 250	-	-	20×8 - 100×20	-	-	-	-	-	-	-	-
1.4835	S30815	100 - 150	-	-	-	-	-	-	-	-	-	-	-
1.4841	314	6 - 300	10 - 80	-	15×5 - 100×20	-	-	-	-	-	-	-	-
1.4845	310 S	6 - 200	-	-	-	-	-	-	-	-	-	-	-
1.4876	B 163	25 - 50	-	-	-	-	-	-	-	-	-	-	-
1.4878	321 H	20 - 525	25 - 150	-	20×5 - 150×25	-	-	-	-	-	-	-	-
1.4923		20 - 300	-	-	-	-	-	-	-	-	-	-	-
1.4980	S66286	101,6	-	-	-	-	-	-	-	-	-	-	-

 Material also available in Inch sizes
-> see specific flyer











TUBES AND PIPES | SEAMLESS

grade	AISI/ UNS ^{*)}	seamless		
			hydraulic tubes	precision tubes
1.4301 1.4307	304 304L	4.00 × 1.00 - 406.40 × 9.53	6.00 × 1.00 - 42.00 × 2.00	6.00 × 1.00 - 42.00 × 3.00
1.4306	304 L	12.00 × 1.00 - 323.85 × 12.70	-	-
1.4401 1.4404	316 316L	6.00 × 1.00 - 406.40 × 9.53	-	6.00 × 1.00 - 38.00 × 2.00
1.4462	S 31803	13.72 × 2.24 - 219.08 × 8.18	-	-
1.4501	S 32760	21.34 × 2.77 - 168.33 × 7.11	-	-
1.4539	904 L	10.30 × 2.00 - 219.08 × 12.70	-	-
1.4541	321	6.00 × 1.00 - 219.08 × 12.70	6.00 × 1.00 - 28.00 × 2.00	6.00 × 1.00 - 57.00 × 2.90
1.4571	316 Ti	4.00 × 0.50 - 323.85 × 12.70	6.00 × 1.00 - 42.00 × 2.00	6.00 × 1.00 - 88.90 × 4.50
1.4841	314	6.00 × 1.00 - 168.30 × 4.50	-	-
1.4845	310 S	13.72 × 2.24 - 219.08 × 12.70	-	-
1.4878	321 H	6.00 × 1.00 - 219.08 × 12.70	-	-


TUBES AND PIPES | WELDED

grade	AISI/ UNS ^{*)}	not annealed				annealed				annealed polished				dairy tubes			
																	
1.4301 1.4307	304 304L	5.00 × 0.75 - 812.80 × 4.00				6.00 × 1.00 - 609.60 × 9.53				21.30 × 2.00 - 114.30 × 2.00				18.00 × 1.00 - 204.00 × 2.00			
1.4404	316 L	6.00 × 1.00 - 812.80 × 4.00				6.00 × 1.00 - 609.60 × 9.53				21.30 × 2.00 - 114.30 × 2.00				18.00 × 1.00 - 154.00 × 2.00			
1.4539	904 L	76.10 × 3.00 - 355.60 × 4.00				-				-				-			
1.4541	321	21.30 × 2.00 - 406.40 × 4.00				6.00 × 1.00 - 114.30 × 5.00				-				-			
1.4571	316 Ti	10.00 × 1.00 - 609.60 × 4.00				6.00 × 1.00 - 114.30 × 6.30				-				-			

CONSTRUCTION TUBES

grade	AISI/ UNS ^{*)}	seamless										
		round	round polished	round mirror polished	round brushed	square	square polished	square brushed	rectangular	rectangular polished	rectangular brushed	
1.4301	304											
1.4301	304	10.00 × 1.50 - 168.30 × 2.00	10.00 × 1.50 - 114.30 × 4.00	12.00 × 1.50 - 114.30 × 2.00	15.00 × 1.00 - 114.30 × 3.00	10 × 10 × 1.0 - 200 × 200 × 5.0	15 × 15 × 1.5 - 120 × 120 × 3.0	20 × 20 × 2.0 - 200 × 200 × 4.0	20 × 10 × 1.5 - 200 × 150 × 5.0	20 × 10 × 1.5 - 150 × 50 × 3.0	20 × 10 × 1.5 - 200 × 100 × 4.0	
1.4404	316 L	-	25.00 × 2.00 - 48.30 × 2.00	-	-	15 × 15 × 1.5 - 200 × 200 × 5.0	-	20 × 20 × 2.0 - 100 × 100 × 3.0	30 × 20 × 2.0 - 200 × 100 × 6.0	-	30 × 20 × 2.0 - 120 × 60 × 2.0	
1.4571	316 Ti	-	33.70 × 2.00 - 48.30 × 2.00	-	-	15 × 15 × 1.5 - 150 × 150 × 5.0	-	-	20 × 10 × 1.5 - 150 × 100 × 3.0	-	-	

HOLLOW BARS

grade	AISI/ UNS ^{*)}	seamless
		
1.4301 1.4307	304 304L	32 × 16 - 420 × 300
1.4306	304 L	32 × 16 - 250 × 200
1.4401 1.4404	316 316 L	32 × 16 - 420 × 300
1.4462	S 31803	50 × 25 - 250 × 200
1.4541	321	32 × 20 - 250 × 200
1.4571	316 Ti	32 × 16 - 250 × 200
1.4878	321 H	32 × 20 - 250 × 200

STAPPERT UK LTD.

Head Office

Unit 7 Symondscliffe Way
Severn Bridge Industrial Estate
Portskewett | Caldicot NP26 5PW
UNITED KINGDOM

T +44 121 740 0175

uk@stappert.biz
uk.stappert.biz

STAPPERT INTERNATIONAL

STAPPERT Česká republika spol. s r.o.

Otmarov 57
66457 Měnin
CZECH REPUBLIC
T +420 544 423 911
ceskarepublika@stappert.biz
ceskarepublika.stappert.biz

STAPPERT Deutschland GmbH

Willstätterstraße 13
40549 Düsseldorf
GERMANY
T +49 211 5279-0
deutschland@stappert.biz
deutschland.stappert.biz

STAPPERT Fleischmann GmbH

Gewerbepark B17/1/Objekt 1
2524 Teesdorf
AUSTRIA
T +43 2253 90313-0
fleischmann@stappert.biz
fleischmann.stappert.biz

STAPPERT France S.A.S.

Rue Jacques Henry
02200 Soissons
FRANCE
T +33 3 23 73 50 00
france@stappert.biz
france.stappert.biz

STAPPERT Intramet SA

Rue du Parc Industriel, 5
4480 Engis
BELGIUM
T +32 4 275 82 11
intramet@stappert.biz
intramet.stappert.biz

STAPPERT Magyarország Kft.

Rétifarkas utca 1.
1172 Budapest
HUNGARY
T +36 1 4342424
magyarorszag@stappert.biz
magyarorszag.stappert.biz

STAPPERT Noxon BV

Gerstdijk 4
5704 RG Helmond
THE NETHERLANDS
T +31 492 582111
noxon@stappert.biz
noxon.stappert.biz

STAPPERT Polska Sp. z o.o.

ul. A. Gaudiego 18
44-109 Gliwice
POLAND
T +48 32 3447300
polska@stappert.biz
polska.stappert.biz

STAPPERT Slovensko a.s.

Šimonovská 37
97271 Nováky
SLOVAKIA
T +421 46 51834-20
slovensko@stappert.biz
slovensko.stappert.biz

STAPPERT Sverige AB

Gamla Slätthultsvägen 8
34334 Ålmhult
SWEDEN
T +46 476 48550
sverige@stappert.biz
sverige.stappert.biz

DELTA ACCIAI S.p.A.

Via Donatello 11
10071 Borgaro T.se (TO)
T +39 11 2222096
info@deltaacciai.it
deltaacciai.it

group.stappert.biz



STAPPERT