




STAPPERT

QUALITY EX STOCK

Summary of
available products



Bars

Channels

Angles

Special sections

Pipes, Tubes & Fittings

Hollow bars

And a lot more...

INOX INTELLIGENCE.

STAPPERT – THE BRAND FOR STAINLESS STEELS.

STAPPERT is one of the leading distributors of long products and fittings made of stainless, highly corrosion and heat resistant steel.

We have the stainless steel that fits your requirements perfectly and supply it in a range of standard and tailor-made solutions that is unique in stainless steel business.

From mechanical engineering to energy and environmental technology to the food industry, we are at home in all sectors and have built up our reputation as a competent partner over decades.

STAPPERT's focus is not only set on a wide range of materials, but also on good accessibility and location-independent support. We are always on hand, wherever you are. We are your reliable global partner with comprehensive coverage of your needs and short delivery times.

For us, INOX INTELLIGENCE is the perfect combination of a unique product and service portfolio with reliable availability, direct customer proximity, as well as extensive consulting competence based on the expertise and experience of our employees.

We are STAPPERT – We are INOX INTELLIGENCE.

PERMANENT STOCK OF STAPPERT UK

kg/m	1,4404 AISI 316L	1,4301 AISI 304	1,4305 AISI 303	Diameter in mm	Diameter in Inch
0.22	x	x	x	6	
0.25	x	x	x	6.35	1/4"
0.39	x	x	x	8	
0.62	x	x	x	10	
0.89	x	x	x	12	
0.99	x	x	x	12.7	1/2"
1.39	x	x	x	15	
1.57	x	x	x		5/8"
1.58	x	x	x	16	
2.24	x	x	x		3/4"
2.47	x	x	x	20	
3.85	x	x	x	25	
3.98	x	x	x	25.4	1"
5.13	x	x	x		1 1/8"
5.55	x	x	x	30	
6.21	x	x	x	31.75	1 1/4"
7.59	x	x	x		1 3/8"
7.70	x	x	x	35	
8.95	x	x	x	38.1	1 1/2"
9.86	x	x	x	40	
10.59	x	x	x	41.27	1 5/8"
12.18	x	x	x		1 3/4"
14.25	x	x	x		1 7/8"
15.41	x	x	x	50	
15.91	x	x	x	50.8	2"
18.30	x	x	x		2 1/8"
20.14	x	x	x	57.15	2 1/4"
22.87	x	x	x		2 3/8"
24.86	x	x	x	63.5	2 1/2"
27.93	x	x	x		2 5/8"
30.08	x	x	x		2 3/4"

kg/m	1,4404 AISI 316L	1,4301 AISI 304	1,4305 AISI 303	Diameter in mm	Diameter in Inch
35.80	x	x	x	76.2	3"
42.01	x	x	x	82.55	3 1/4"
48.72	x	x	x	88.9	3 1/2"
55.93	x	x	x	95.25	3 3/4"
63.64	x	x	x	101.6	4"
71.84	x	x	x	107.95	4 1/4"
80.54	x	x	x	114.3	4 1/2"
89.74	x	x	x	120.65	4 3/4"
99.44	x	x	x	127	5"
109.63	x	x	x	133.35	5 1/4"
120.32	x	x	x	139.7	5 1/2"
131.50	x	x	x	146.05	5 3/4"
143.19	x	x	x	152.4	6"
158.35	x	x		158.75	6 1/4"
168.05	x	x	x	165.1	6 1/2"
184.70	x	x		171.45	6 3/4"
194.89	x	x	x	177.8	7"
210.94	x	x		184.15	7 1/4"
223.73	x	x	x	190.5	7 1/2"
254.55	x	x	x	203.2	8"
287.37	x	x		215.9	8 1/2"
322.17	x	x		228.6	9"
358.96	x	x		241.3	9 1/2"
397.74	x	x		254	10"
438.51	x	x		266.7	10 1/2"
481.27	x	x		279.4	11"
536.10	x	x		292.1	11 1/2"
572.75	x	x		304.8	12"
779.57	x			355.6	14"
1018.22	x			406.4	16"

BARS | HOT-FORMED

W.-Nr.	AISI/ UNS	DIN EN 10060 	DIN EN 10059 	DIN EN 10058 	slit 	equal 	equal polished 	unequal 	T 	I 	U 
	XM 19 * Nitronic 50 ®	30 - 200	-	-	-	-	-	-	-	-	-
1.4006	410	30 - 400	-	-	-	-	-	-	-	-	-
1.4021	420	18 - 550	-	-	-	-	-	-	-	-	-
1.4028	420 F	30 - 200	-	-	-	-	-	-	-	-	-
1.4034	420	30 - 325	-	-	-	-	-	-	-	-	-
1.4057	431	20 - 500	40 - 100	30×20 - 100×30	-	-	-	-	-	-	-
1.4104	430 F	34 - 400	80	-	-	-	-	-	-	-	-
1.4112	440 B	25 - 400	-	-	-	-	-	-	-	-	-
1.4122		22 - 525	-	-	-	-	-	-	-	-	-
1.4125	440 C	20 - 225	-	-	-	-	-	-	-	-	-
1.4301 1.4307	304 304L	20 - 575	10 - 200	10×5 - 200×40	10×3 - 300×12	15×15×2 - 180×180×20	20×20×3 - 60×60×6	20×10×3 - 200×100×12	T 20 - 120 TB 30 - 60	IPE 80 - 240 IPB 100 - 200	U 20 - 200
1.4301 Ugima	304 Ugima	40 - 120	-	-	-	-	-	-	-	-	-
1.4305	303	30 - 500	40 - 150	-	-	-	-	-	-	-	-
1.4305 UGIMA	303 UGIMA	40 - 75	-	-	-	-	-	-	-	-	-
1.4306	304 L	35 - 200	-	-	-	-	-	-	-	-	-
1.4313	CA6-NM	20 - 500	-	-	-	-	-	-	-	-	-
1.4401 1.4404	316 316L	20 - 625	10 - 150	20×5 - 200×40	10×3 - 200×10	20×20×3 - 100×100×10	-	-	-	-	-
1.4404 Ugima	316 L Ugima	30 - 120	-	-	-	-	-	-	-	-	-
1.4410	S 32750	16 - 425	-	-	-	-	-	-	-	-	-
1.4418		25 - 350	-	-	-	-	-	-	-	-	-
1.4435	316 L	30 - 400	30 - 80	-	-	-	-	-	-	-	-
1.4439	317 LMN	20 - 210	-	-	-	-	-	-	-	-	-
1.4460	S 32900	31 - 255	-	-	-	-	-	-	-	-	-
1.4462	S 31803	20 - 500	20 - 60	30×5 - 100×20	-	-	-	-	-	-	-
1.4501	S 32760	25 - 500	-	-	-	-	-	-	-	-	-
1.4529	N 08926	16 - 200	-	-	-	-	-	-	-	-	-
1.4539	904 L	22 - 400	15 - 50	-	-	-	-	-	-	-	-
1.4541	321	20 - 525	25 - 150	20×5 - 150×20	20×3 - 100×12	20×20×3 - 100×100×10	-	-	-	-	-
1.4542	630	30 - 400	-	-	-	-	-	-	-	-	-
1.4542* H1150D		50 - 200	-	-	-	-	-	-	-	-	-
1.4547	S31254	20 - 225	-	-	-	-	-	-	-	-	-
1.4550	347	30 - 200	-	-	-	-	-	-	-	-	-
1.4571	316 Ti	20 - 625	15 - 200	12×6 - 150×50	10×3 - 250×15	20×20×3 - 150×150×15	-	30×20×3 - 200×100×13	T 40 - 120	IPE 80 - 160 IPB 100 - 180	U 40 - 200
1.4571 Ugima	316 Ti Ugima	45 - 125	-	-	-	-	-	-	-	-	-
1.4713		25 - 100	-	40×10	-	-	-	-	-	-	-
1.4762	446	16 - 120	-	-	-	-	-	-	-	-	-
1.4828	309	22 - 350	-	20×8 -	-	-	-	-	-	-	-
1.4835	S30815	30 - 200	-	-	-	-	-	-	-	-	-
1.4841	314	20 - 300	10 - 80	15×5 -	-	-	-	-	-	-	-
1.4845	310 S	30 - 400	-	-	-	-	-	-	-	-	-
1.4876	800 H	25 - 40	-	-	-	-	-	-	-	-	-
1.4878	321 H	20 - 525	25 - 150	20×5 -	-	-	-	-	-	-	-
1.4923		25 - 220	-	-	-	-	-	-	-	-	-
	304 H *	30 - 150	-	-	-	-	-	-	-	-	-

* new

BARS | COLD-FORMED

grade	AISI/ UNS	 DIN EN 10278 h9	 DIN EN 10278 h8	 DIN EN 10278 h6	 polished	 DIN EN 10278	 DIN EN 10278	 DIN EN 10278		 equal	 key steel	 key steel
1.4021	420	4 - 100	-	-	-	-	-	-	-	-	-	-
1.4034	420	5 - 90	-	-	-	-	-	-	-	-	-	-
1.4057	431	5 - 100	-	-	-	-	11 - 41	-	-	-	-	-
1.4104	430 F	3 - 100	-	-	-	6 - 60	5 - 55	-	-	-	-	-
1.4112	440 B	5 - 80	-	-	-	-	-	-	-	-	-	-
1.4122		5 - 100	-	-	-	-	-	-	-	-	-	-
1.4301 1.4307	304 304L	2 - 100	6 - 60	10 - 50	8 - 20	4 - 100	7 - 75	8 × 4 - 160 × 10	-	10 × 10 × 2 - 60 × 60 × 6	-	-
1.4301 Ugima	304 Ugima	8 - 90	-	-	-	-	27 - 41	-	-	-	-	-
1.4305	303	2 - 100	10 - 30	-	8 - 20	5 - 100	5 - 65	20 × 5 - 120 × 20	-	-	-	-
1.4305 Ugima	303 Ugima	6 - 90	-	-	-	-	-	-	-	-	-	-
1.4401 1.4404	316 316L	3 - 100	-	-	-	10 - 60	6 - 75	15 × 3 - 100 × 20	10 × 3,5 - 50 × 25	-	-	-
1.4404 Ugima	316 L Ugima	8 - 60	-	-	-	-	-	-	-	-	-	-
1.4418		12 - 22	-	-	-	-	-	-	-	-	-	-
1.4435	316 L	4 - 80	-	-	-	-	13 - 41	-	-	-	-	-
1.4435 Ugima	316 L Ugima	4 - 80	-	-	-	-	-	-	-	-	-	-
1.4460	S 32900	16 - 80	-	-	-	-	-	-	-	-	-	-
1.4462	S 31803	6 - 80	-	-	-	-	-	-	-	-	-	-
1.4539	904 L	6 - 20	-	-	-	-	19 - 30	-	-	-	-	-
1.4541	321	3 - 100	-	-	-	-	13 - 65	-	-	-	-	-
1.4542	630	8 - 40	-	-	-	-	-	-	-	-	-	-
1.4571	316 Ti	2 - 100	-	-	-	4 - 100	6 - 70	10 × 3 - 120 × 10	-	-	5 × 3 - 40 × 22	3 - 6
1.4571 Ugima	316 Ti Ugima	8 - 60	-	-	-	-	22 - 55	-	-	-	-	-
1.4828	309	6 - 20	-	-	-	-	-	-	-	-	-	-
1.4841	314	3 - 20	-	-	-	-	13 - 36	-	-	-	-	-
1.4845	310 S	6 - 20	-	-	-	-	-	-	-	-	-	-
1.4923		10 - 20	-	-	-	-	-	-	-	-	-	-

Material also available in inch sizes

TUBES AND PIPES | SEAMLESS

grade	AISI/ UNS	seamless 	hydraulic tubes EN 10305/1 
1.4301 1.4307	304 304L	4,0 × 1,0 - 273,1 × 12,7	4,0 × 1,0 - 42,0 × 3,0
1.4306	304 L	12,0 × 1,5 - 88,9 × 3,05	-
1.4401 1.4404	316 316L	6,0 × 0,5 - 219,1 × 12,7	6,0 × 1,0 - 18,0 × 1,0
1.4410	F53 UNS S32750	21,34 × 2,77 - 114,3 × 6,02	-
1.4462	S 31803	13,72 × 2,24 - 219,1 × 8,18	-
1.4501	S 32760	21,34 × 2,77 - 88,9 × 5,49	-
1.4539	904 L	17,14 × 2,31 - 219,1 × 12,7	-
1.4541	321	6,0 × 1,0 - 219,1 × 12,7	6,0 × 1,0 - 35,0 × 2,5
1.4571	316 Ti	4,0 × 0,5 - 273,0 × 12,7	4,0 × 1,0 - 42,0 × 3,0
1.4841	314	6,0 × 1,0 - 168,3 × 4,5	-
1.4845	310 S	13,72 × 2,24 - 219,1 × 12,7	-
1.4878	321 H	6,0 × 1,0 - 219,1 × 12,7	-

TUBES AND PIPES | WELDED

grade	AISI/ UNS	not annealed 	annealed 	annealed polished 	dairy tubes 
1.4301 1.4307	304 304L	6,0 × 1,0 - 812,8 × 4,0	6,0 × 1,0 - 609,6 × 9,53	25,0 × 2,0 - 42,4 × 2,6	18,0 × 1,5 - 204,0 × 2,0
1.4404	316 L	6,0 × 1,0 - 812,8 × 4,0	6,0 × 1,0 - 609,6 × 9,53	21,3 × 2,0 - 33,7 × 2,0	18,0 × 1,5 - 204 × 2,0
1.4541	321	15,0 × 1,5 - 355,6 × 4,0	12,0 × 1,0 - 114,3 × 4,0	-	-
1.4571	316 Ti	10,0 × 1,0 - 609,60 × 4,0	6,0 × 1,0 - 114,3 × 5,0	-	-

CONSTRUCTION TUBES

grade	AISI/ UNS	round 	round polished 	square 	square polished 	rectangular 	rectangular geschliffen 
1.4301	304	12 × 1,0 - 139,7 × 4,0	12,0 × 1,0 - 114,3 × 3,0	10 × 10 × 1,0 - 200 × 200 × 8,0	15 × 15 × 1,5 - 120 × 120 × 3,0	20 × 10 × 1,5 - 200 × 150 × 5,0	20 × 10 × 1,5 - 150 × 50 × 3,0
1.4404	316 L	-	40,0 × 2,0 - 60,3 × 3,0	15 × 15 × 1,5 - 200 × 200 × 5,0	-	30 × 20 × 2,0 - 200 × 100 × 6,0	-
1.4571	316 Ti	-	-	15 × 15 × 1,5 - 100 × 100 × 5,0	-	20 × 10 × 1,5 - 80 × 60 × 4,0	-

Higher quality surface finishes above 240 grit are available on request for many grades of material.

HOLLOW BARS

grade	AISI/ UNS	seamless 
1.4301 1.4307	304 304L	32 × 16 - 400 × 300
1.4401 1.4404	316 316 L	32 × 16 - 420 × 300
1.4462	S 31803	50 × 25 - 250 × 200
1.4541	321	36 × 20 - 250 × 200
1.4571	316 Ti	32 × 16 - 250 × 200
1.4878	321 H	36 × 20 - 250 × 200

STAPPERT UK LTD.

Unit 7 Symondsccliffe Way
Severn Bridge Industrial Estate
Portskewett | Caldicot NP26 5PW
GREAT BRITAIN
T +44 121 740 0175
uk@stappert.biz
uk.stappert.biz

STAPPERT INTERNATIONAL

STAPPERT Česká republika spol. s r.o.
Otmarov 57
66457 Měnín
CZECH REPUBLIC
T +420 544 423 911
ceskarepublika@stappert.biz
ceskarepublika.stappert.biz

STAPPERT Deutschland GmbH
Willstätterstraße 13
40549 Düsseldorf
GERMANY
T +49 211 5279-0
deutschland@stappert.biz
deutschland.stappert.biz

STAPPERT Fleischmann GmbH
Gewerbepark B17/I/Objekt 1
2524 Teesdorf
AUSTRIA
T +43 2253 90313-0
fleischmann@stappert.biz
fleischmann.stappert.biz

STAPPERT France SAS
Rue Charlemagne 13
02200 Soissons
FRANCE
T +33 3 23 73 50 00
france@stappert.biz
france.stappert.biz

STAPPERT Intramet SA
Rue du Parc Industriel, 5
4480 Engis
BELGIUM
T +32 4 275 82 11
intramet@stappert.biz
intramet.stappert.biz

STAPPERT Magyarország Kft.
Rétifarkas utca 1.
1172 Budapest
HUNGARY
T +36 1 4342424
magyarorszag@stappert.biz
magyarorszag.stappert.biz

STAPPERT Noxon B.V.
Gerstdijk 4
5704 RG Helmond
THE NETHERLANDS
T +31 492 582111
noxon@stappert.biz
noxon.stappert.biz

STAPPERT Polska Sp. z o.o.
ul. A. Gaudiego 18
44-109 Gliwice
POLAND
T +48 32 3447300
polska@stappert.biz
polska.stappert.biz

STAPPERT Slovensko a.s.
Šimonovská 37
97271 Nováky
SLOVAKIA
T +421 46 51834-20
slovensko@stappert.biz
slovensko.stappert.biz

STAPPERT Sverige AB
Box 82
34321 Ålmhult
SWEDEN
T +46 476 48550
sverige@stappert.biz
sverige.stappert.biz

DELTA ACCIAI S.p.A.
Via Donatello 11
10071 Borgaro T.se (TO)
ITALY
T +39 11 2222096
info@deltaacciai.it
deltaacciai.it

group.stappert.biz



STAPPERT